SCALE: 3/16"= 1'



POST SCHEDULE			
SYMBOL	POST SIZE	FOOTING SIZE	20d GALV. SPIKES AT CONC. CAP
A	4 x 6 RGH DOOR	16" DIA. x 2'-0" DEEP	NO CONCRETE CAP REQUIRED
B	6 x 8 RGH CORNER	24" DIA. x 4'-0" DEEP	44 (11 EA.SIDE)
C	6 x 6 RGH	24" DIA. x 4'-0" DEEP	44 (11 EA.Side)

BUILDING NOTES:

1.) OPTIONAL GUTTERS WITH DOWNSPOUTS ALONG BOTH EAVES

2.) INSULATION: ROOF ONLY REQUIRED 1 1/2" FIBERGLASS BLANKET WITH WHITE VINYL FACING (R-5)

3.) OPTIONAL 2' FIBERGLASS SKYLIGHT PANELS UNDER BOTH EAVES

4.) OVERHEAD DOORS: SIZE VARIES WITH EAVE HEIGHT

EAVE HEIGHT	DOOR SIZE
10'	10' x 8'
12'	10' x 10'
14'	10' x 12'
16'	16' x 14'

5.) ALL POST TO BE PRESSURE TREATED HEM FIR NO. 1, OR: ONE SIZE LARGER USING HEM FIR NO. 2 (EXAMPLE: 6 x 6 TO 6 x 8) TREATMENT "CHEMONITE" AT 0.60 RETENTION

6.) SEE DETAIL (A) FOR MAXIMUM 20d GALV. SPIKE DENSITY AT CONCRETE CAP

7.) 20d GALV. SPIKES TO BE EQUALLY DISTRIBUTED ON ALL 4-SIDES OF POST INSIDE OF 12" POST CAPS.

NOTE: CHANGES ON THESE PLANS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL BY THE ENGINEER

PLAN VIEW

SCALE: 3/16"=1'-0"



FRONT ELEVATION

SCALE: 1/8"=1'-0"



RIGHT-SIDE ELEVATION

SCALE: 1/8"=1'-0"



REAR ELEVATION

SCALE: 1/8"=1'-0"



LEFT-SIDE ELEVATION

SCALE: 1/8"=1'-0"

Copyright © John C. Raby & Associates

No.	DATE	INIT.	REVISION

APPROVED FOR CONSTRUCTION

REVIEWING ENGINEER DATE

JURISDICTION

APPROVALS

GARRISON ENGINEERING

1997 PARK LANE, BURLINGTON, WA 98233 PHONE (360) 707-5656 FAX (360) 707-5858

STEVE JABLINSKI

LAKE STEVENS
POLE BUILDING
PLAN AND ELEVATIONS

DRAWN/DESIGNED BY: SCP	CAD FILE NUMBER: 03-06-04-POLEBLDG-03049.dwg
CHECKED BY: JR	COUNTY: SNOHOMISH COUNTY
DATE: JUNE 13TH 2003	JOB NUMBER: 03049
SCALE: HORIZONTAL AS-NOTED	
VERTICAL N/A	1 OF 2